



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



UM-3703-98 1998 Chevrolet Cavalier

In-depth Vehicle Occupant Report

The University
of Michigan
Transportation
Research Institute

%-UMINOR



DISCLAIMERS

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points are coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

Case Vehicle (A): 1998 Chevrolet Type: Cavalier LS, 4-door sedan

Driver: 43-year-old female

CDC: Ø3-ŘPAW-3

Veh. (B): 1991 Ford

Type: Aerostar XL, 4 x 2 wagon

Driver: 42-year-old male CDC: 99-ØØØØ-Ø

Situation

(Slide 1) Case vehicle (A) was traveling north at a driver-estimated speed of 48 kph (30 mph) in the right northbound lane of 5-lane asphalt, urban road, in a commercial area. It was daylight, the weather was clear, and the road surface was dry and in good condition. Vehicle (B) was traveling west on a 5-lane divided asphalt road. (Slide 2) At the intersection of the two roads, the driver of case vehicle (A) failed to stop for the "Red" traffic signal and proceeded into the path of vehicle (B). The driver of vehicle (B) was unable to stop in time and the front of vehicle (B) struck case vehicle (A) in the right side.

Vehicle (B) was towed to a private residence and was unavailable for inspection.

Using the WinSMASH accident-reconstruction program and (slide 3, 4 and 5) c-values measured for case vehicle (A), the following Equivalent Barrier Speed was calculated:

		Calculated	Velocity Change	- kph (mph)
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	39 (24)	-7 (-4)	-38 (-24)

Exterior Damage

(Slide 6) Damage to case vehicle (A) was severe. (Slide 7 and 8) The maximum crush was 28 cm to the right-rear door. (Slide 9) Direct contact damage began 83-cm forward of the right-rear bumper corner and extended 187-cm forward to the right-front door and (slide 10) included the upper B-pillar. On the right side, (slide 11) the front door, (slide 12) the roof siderail, and (slide 13) rear quarter panel were damaged, both doors were jammed shut, both door windows were broken out, and the wheelbase was increased 3 cm. (Slide 14) There was no damage to the front of the vehicle or (slides 15 and 16) to the engine compartment, (slide 17) and the windshield was cracked due to contact by the passenger airbag cover. (Slide 18) There was no left-side

damage and (slide 19) no change in the left wheelbase. (Slide 20) There was no damage to the rear of the vehicle.

Interior Damage

(Slide 21) This vehicle was equipped with steering-wheel, and (slide 22) passenger frontal-impact airbags, which deployed in this right-side collision. The passenger airbag module cover contacted and cracked the windshield upon airbag deployment. (Slide 23) There was no damage to the steering-wheel rim or (slide 24) spokes. There was no apparent vertical rotation of the steering column, (slide 25) but it was rotated to the right. The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
Right front (slide 26)	B-pillar	18	to left
148.00 110.00 (0.000 0.0)	Door	14	to left
	Sill	12	to left
	Roof siderail	4	to left
Right rear (slide 27)	Door	12	to left
ragin rom (since 27)	Sill	12	to left
	Roof siderail	3	to left

(Slides 28 and 29) The center console/center armrest was damage by driver hip contact. (Slide 30) The upper instrument panel and upper vent outlets were damaged by passenger airbag deployment. (Slides 31 and 32) Impact forces damaged both right-side door interiors and their components, and the C-pillar. (Slide 33) The driver contacted, but did not damage the vertical console and parking brake release. (Slide 34) The right-front seat cushion was damaged, (slide 35) the seatback was pushed rearward, and the seat adjuster was jammed. (Slide 36, 37, 38 and 39) There was no other observable interior damage.

Occupant Injuries and Kinematics

(Slide 40) The 5-ft, 0 in, 43-year-old female driver was wearing the 3-point belt and the airbag deployed. On impact, she continued moving forward and to the right in relation to the vehicle. She sustained contusions to the face on her left cheek and left side of her lips, (slide 41) due to contact by the deploying airbag. She sustained a laceration to her forehead, probably due to flying broken glass, or possibly due to contact by the deploying airbag. She sustained neck

muscle strain, probably due to impact forces, but possibly due to contact by the deploying airbag. She sustained back strain, (slide 42) probably due to contact with the center console, and/or impact. She sustained a contusion to her left wrist, probably due to contact by the deploying airbag, but possibly due to contact with the steering-wheel rim. She sustained a contusion to her right thigh, due to contact with the center console/center armrest. She sustained a contusion to her right knee, (slide 43) due to contact with the vertical console.

(Slide 44) The attached table summarizes the injuries sustained by the female driver, who was the lone occupant of case vehicle (A).

Occupant: Driver Restraints: 3-point restraint worn and airbag deployed

Age: 43 years Stature: 152 cm (5 ft 0 in)

Sex: Female Mass: 48 kg (105 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Facial laceration, forehead	1		Flying broken glass	Airbag
Facial contusions, left cheek and lip	1	Airbag		
Cervical strain	1		Impact forces	Airbag
Lumbar strain	1		Center console/center armrest	Impact forces
Contusion, left wrist	1		Airbag	Steering-wheel rim
Contusion, right thigh	1	Center console/center armrest		
Contusion, right knee	1	Vertical console	,	
Maximum A.I.S. Level	1			
Injury Severity Score	<u>3</u>			

ADMINISTRATIVE **VERSION 05 - JANUARY 3, 1996** NO. OF CASE VEHICLES IN ACCIDENT **TEAM CODE** NUMBER OF SLIDES **ACCIDENT ID TEAM REPORT NUMBER VEHICLE NUMBER** MODULE <u>VM = 3703-98</u> **FORMAT** FORM VERSION

SPECIAL STUDY

(00) None

(01) Offset Frontal

(98) Not Applicable

9	9
38	39

DATE OF FIELD INVESTIGATION:	198
INVESTIGATOR:	
LOCATION WHERE VEHICLE WAS	EVALUATED:
Michiga.	W

CIRCLE PHOTO RECORDS MADE:



NEGATIVES

POLAROIDS

REPORT PREPARED BY:

AD-1

Duplicate columns 1-8 from the previous card. Module G Format C Format C 10 10 10 10 10 10 10	1 12	GENERAL INFORMATION	GI-1
TIME		ENVIRONMENTAL CONDITIONS	
	68	CONSTRUCTION ZONE	
DATE OF COLLISION m m d d	$\frac{1}{y}$	(0) NO	0
	, , ,	(1) YES (9) UNKNOWN	0
HOUR OF COLLISION 1 4 4 6	<u> </u>	ROAD ALIGNMENT	
(24 HOUR CLOCK) 19 22		VERTICAL PLANE	
LOCATION		(1) LEVEL (2) CREST OF HILL	1
STATE: Michigan		(3) SLOPE (2%) (4) BOTTOM OF HILL	32
STATE. THE		(9) UNKNOWN	
STATE FIPS CODE	26	ROAD ALIGNMENT	
	2 4	HORIZONTAL PLANE	
AREA		(1) STRAIGHT (2) CURVE	1
(1) URBAN		(3) T - SHAPED	æ
(2) RURAL (9) UNKNOWN	25	(4) Y - SHAPED (7) OTHER:	
		(9) UNKNOWN	
ENVIRONMENTAL CONDITIONS		SURFACE COVERING	
LIMITED-ACCESS HIGHWAY		(10) DRY	1 4
(0) NO (1) YES	0	(21) WATER - DAMP	
(a) NUKNOMN	26	(22) WATER - WET (23) WATER - PUDDLED	
COAR TOTAL TRAFFICLANIES		(29) WATER - AMOUNT UNKNOWN	
ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE)		(31) SNOW - LOOSE	
(1) 1-LANE		(32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN	
(2) 2-LANES	4	• •	
(3) 3-LANES (4) 4 OR MORE LANES	27	(41) ICE (51) SLUSH	
(5) DIVIDED, 4 OR MORE LANES		(61) SPILLED GRAVEL	
(6) PARKING LOT/DRIVEWAY (7) OTHER:		(71) OTHER: (99) UNKNOWN	
(9) UNKNOWN		VISIBILITY LIMITATION	
		(FOR CASE VEHICLE)	
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR		(0) NONE	_
	-	(1) CLOUDY/DARK	
(8) NOT APPLICABLE .	5	(2) FOG (3) SMOKE	36
		(4) WINDSHIELD CONDITION	
TYPE OF ROAD SURFACE		(5) GLARE (6) RAIN	
		.(7) OTHER:	
(1) ASPHALT (2) CONCRETE		(8) ICE/SNOW (9) UNKNOWN	
(3) GRAVEL	29	VISIBILITY OBSTRUCTION	
(4) MORE THAN ONE (CIRCLE EACH) (7) OTHER:		(FOR CASE VEHICLE)	
(9) UNKNOWN		(0) NONE	
2042 2555		(1) BUILDING	0
ROAD DEFECTS		(2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS)	37
(O) NO	0	(4) TREE (5) HILL OR CURVE IN ROAD	
(1) YES (9) UNKNOWN	30	(6) VEHICLE IN TRANSPORT	
*		(7) OTHER:	

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55	2 36	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
PRECIPITATION (0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	0 39 8 40	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER:
(1) -15 TO -6	41	COMMENTS:
LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	1 43	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT		HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN	45	(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	
CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	0 46	(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	2 55
(5) Sittatoriti		DRIVER IMPAIRMENT	;
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	0 47	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES	<u>D</u>
(a) DIAKNOWIN		(9) UNKNOWN/NOT REPORTED/ NO DRIVER	
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	1 48	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	8 <u>0</u>
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u>	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u>O</u> 57
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 50	LIST IMPAIRMENTS MENTION	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	51	Post - Crash Detail MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>D</u>	(1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2 50

ACCIDENT SCHEMATIC

An intensection in the Right s	side by	ned light An vehicle (B).	ud was staud	THIRD VEHICLE	(B): /47/ Fond (C):	Henostan
						— () NORTH
		\$	A B2		B1	
			A 1	Traffic signals Red - Case ve Green - Vehicl	hicle (A)	

Duplicate columns 1-8 from the previous card. Module O V Format 0 1 1 12	OTHER VEHICLE	OV-1
MAKE: Ford MODEL: Aerostan XL, 4 x Z Wagon	CARGO:	
VIN 13	29	
MANUFAC/BODY CODE 1	VEHICLE TYPE PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT (28) INTERMEDIATE (29) FULL MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (MHEELBASE LESS THAN 107* E.G. JEP, BRONCO) (15) LARGE UTILITY (MHEELBASE MORE THAN 107* E.G. PAMEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER TRUCK (11) SMALL VAN (E.G. ECONOLINE) (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PAMEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH SLIDE-IN CAMPER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) UNKNOWN TRUCK WITH SLIDE-IN CAMPER (24) PICKUP TRUCK WITH SLIDE-IN CAMPER (25) PICKUP TRUCK WITH SLIDE-IN CAMPER (26) PICKUP TRUCK WITH SLIDE-IN CAMPER (27) PICKUP TRUCK WITH SLIDE-IN CAMPER (28) UNKNOWN TRUCK TYPE	4 1
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (MALK-M) (34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN WHEELBASE (CTD) (999) UNKNOWN	<u>302</u> 56 57 56

Duplicate columns 1-8 from the previous card. Module O V Format 0 2 9 10 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

302 cm Wheelbase

Front Overhang

 $\frac{0}{2} \frac{6}{4} \frac{9}{24}$ cm

1578 kg **Curb Weight**

Rear Overhang $\frac{1}{2^5} \frac{1}{4} \frac{3}{2^7} \text{ cm}$ Undeformed End Width (UEW) $\frac{1}{2^8} \frac{6}{4} \frac{4}{30} \text{ cm}$

Engine Displacement

 $\frac{3}{31} \cdot \frac{0}{32}$ L


Average Track Width $\frac{1}{13} \frac{54}{83}$ cm


Overall Length $\frac{483}{168}$ cm


Overall Width (OAW) $\frac{1}{19} \frac{83}{21}$ cm


Engine: # of Cylinders

VEHICLE DAMAGE









This vehicle was unavailable for impection.

FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL) 9 9 9 cm

Front-End Overlap (Percent) = DDL UEW

99%

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

99%

Duplicate columns 1-8 from the previous card. Module V D Format 0 1 12	VEHICLE DESCRIPTION VD-	-1
MAKE: <u>Chevrolet</u> MODEL: <u>Cavalien</u> LS, 2-doon seda	CARGO: <u>Suitables</u> , clothes 40 lbs.	_
VIN 13		29
MANUFAC/BODY CODE $\frac{1}{30} = \frac{1327}{34}$	STOLEN VEHICLE	
MAKE/MODEL CODE <u>O 1 1 8</u>	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>8</u>
MODEL YEAR 1 9 9 8		
VEHICLE MASS (kg) 0 0 1 3 0 6 ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 0 1 8 1 6 NUMBER OF OCCUPANTS 0 1	BODY STRUCTURE (1) BODY & FRAME (2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME (E.G. VW BUG)	2 61
TRAVELING SPEED (km/n) The second	(5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	_
VEHICLE TYPE	LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH.: (19) PASSENGER VEHICLE, TYPE UNKNOWN	SELECTOR LEVER	2
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP. SCOUT. BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINN) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	STEERING (1) POWER (2) MANUAL (9) UNKNOWN	<u> </u>
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE	BRAKES (1) POWER (2) MANUAL (9) UNKNOWN	1 5
(99) UNKNOWN		

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2 66	WHEELBASE (cm) (999) Unknown 74 75 7
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN	2 67	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE
AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 68	(7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	2 89	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-</u> LINING NEW PERIMETER OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3.
DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN	0 70	USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.
ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3	3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN	0 72	FRONT OR REAR
TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	73	SIDE ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 9 10 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase	767	cm
Curb Weight	1238	kg
Average Track Width	1 4 5	cm
Overall Length	4 5 9	cm

Overall Width (OAW) $\frac{1}{19}$ $\frac{7}{2}$ cm

Front Overhang

0 9 9 cm

Rear Overhang

<u>D</u> <u>9</u> 7 cm


Undeformed End Width (UEW) $\frac{1}{28}$ $\frac{3}{30}$ cm

Engine Displacement

 $\frac{2}{31} \cdot \frac{2}{32}$

Engine: # of Cylinders

VEHICLE DAMAGE



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

9 9 cm

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

99%

Duplicate columns 1-8 Module D // from the previous card.	A Format 0 2	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	9 9 9 16	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$
ESTIMATED BY	17 800	- <u>- </u>
CRUSH (cm)	O 2 8 20	$\frac{9}{39} \frac{9}{40} \frac{9}{41}$
CDC #1	0 3 . R P A W. 3	$\frac{9}{4} \cdot \underline{9} \cdot \underline{0} \cdot \underline{0} \cdot \underline{0} \cdot \underline{0} \cdot \underline{0}$
CDC #2	98.0000.0	9 9.0000.0 49
Duplicate columns 1-8 Module D from the previous card. 9 10	A Format 0 3 11 12 CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
SECONDARY .	CASE VERIOLE SECONDAIN OF	
EVENT NUMBER	13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21	42
CDC #2	28	49 - 55
Codes	L	
EVENT NUMBER (8) NOT APPLICABI (9) UNKNOWN IMPACT SPEED (998) NOT APPLICA (999) UNKNOWN	(2) DRIVER (3) POLICE (4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	CRUSH (998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN CDC (9800000) NOT APPLICABLE
(555) 5.114.5111	(8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	(9900000) UNKNOWN

DAMAGE DA-2 Duplicate columns 1-8 Module D A Format 0 1 from the previous card. 10 MAXIMUM SHEET METAL CRUSH (999) UNKNOWN (cm) $\frac{0}{16} \frac{2}{16} \frac{\%}{18}$ 0 0 FRONT RIGHT SIDE <u>O</u> <u>O</u> <u>O</u> REAR LEFT SIDE 000 000 **ROOF OTHER** CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL. (0) NO (1) YES EVENT NUMBER IMPACT CONFIGURATION IMPACT LOCATION **OBJECT/VEHICLE** CONTACTED (1) ON ROADWAY FOR CODES, SEE TABLE FOR CODES, SEE TABLE (2) SHOULDERMEDIAN/GORE (3) ON ROADSIDE ON PAGE DA-3. ON PAGE DA-4. (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN #1 #2 #3 #4 47 #5 52 #6 57 #7 62

DAMAGE DA-3

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T) (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

DAMAGE DA-4

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE) (98)
- (99) UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

> 3175 mm (> 125°)

SUB-MINI < 2286 mm (< 90°) 2286 - 2412 mm (90° - 94.9°) SUB-COMPACT 2413 - 2539 mm (95° - 99.9°) COMPACT 2540 - 2666 mm (100° - 104.9°) INTERMEDIATE 2667 - 2793 mm (105" - 109.9") FULL 2794 - 2920 mm (110° - 114.9°) LARGE 2921 - 3174 mm (115° - 124.9°)

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP

LIMOUSINE

- (14) SMALL UTILITY (WHEELBASE LESS THAN 107". E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107". E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

Bus

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc (53) 126 250 cc
- (54) 251 500 €
- (55) 501 750 ∞
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE.
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION for ΔV

CR-1

	·-	tc	or ΔV	
	CASE VEHICLE P		CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	-CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
ΔV (km/ħ) TOTAL	9 =====================================	9 = 3	48 49 50	66 67 68
LONGITUDINAL*	9	9 38	51 54	69 7
LATERAL*	$\frac{9}{21} = {}$	9	55 - 58	73 — — 7
*NOTE: THESE AV COMPONENTS MUST INCLUDE SIGN.		30 42	33 26	<i>'</i> 3 <i>'</i> 1
EXAMPLES: 10 km/h = ± 0 1 0 -7 km/h = ± 0 0 7				
ENERGY DISSIPATED BY CRUSH (kj)	<u>9</u>	9	59 &	77 — — 8 6
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		65	
COMPUTER PROGRAM SPECIFY:				

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>2</u> 11 12

CRASH RECONSTRUCTION CR-2 for EBS

from the previous card. 9 10	11 12	fo	r EBS	
	CASE VEHICLE PI	RIMARY IMPACT	CASE VEHICLE SEC	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	0 3 9	$\frac{9}{x}$ ${x}$	48 49 50	66 67 68
LONGITUDINAL	- 0 0 7 17	9	51 - 54	69 77
LATERAL* NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	- O 3 g	9	55 58	73 70
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u></u>				
ENERGY DISSIPATED BY CRUSH (kij)	<u>0</u> 0 3 6	9	59 62	77 — —
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22 2		63 64	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 33			
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				•
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	2 31		6 5	
COMPUTER PROGRAM SPECIFY: W. W. SPIRS M			·	

	e columns 1-8 previous card.	Module <u>C</u>	. R Forma	it <u>0</u> <u>3</u>		C	RASH F	RECON	STRUCT	TION	CR-3
Locate	2. MEASU IMPACT 3. D IS PO	CRASH RECO FRE C ₁ TO C ₆ F S, REAR TO FF DISTIVE IF MEA HE CENTER OF TAMBE WITH TE	ROM DRIVER RONT IN SIDE I SURED TO A P THE WHEELB	TO PASSENG. MPACTS. POINT FORWA ASE AS THE C	ER SIDE IN RD OF OR CG.	TO THE RI	R REAR			ASE VE	
Specific	Impact No.	L	ocation of	Direct Dar	nage			Locat	tion of Fi	eld L	
	7	83 form	and of	Rt. Re	na B	10	lo ca	fravaa	1.04	ct. R	e de R
	LANE: (1) Bumper (2) Above Bu (3) Sill (4) Above Sill (5) Other (9) Unknown	I	CRUSH below is a s	PROFILE separate reco	IN CEN	TIMET	ERS opticate colo	DL UDi	L	n complete	d line.
Specific Impact	Plane of Impact	Direct Length	Damage Max	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
Number	C-Measur.	(DDL) 187	Crush 21	232	0	!	28	22			-40
•		-			<u>.</u> 						
				:	<u> </u>	<u>. </u>					
				<u>i</u>	<u> </u>	1					ļ
×	!										
1	4	187	028	232	000	014	028	022	018	600	-040
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
	:				! 						
	·			!	İ						
		!	 		<u> </u> 						
			·								
2		<u> </u>									
	1						1		1		

	columns 1-8 previous card.	Module <u>C</u>	R Format	0 4		Cı	RASH F	RECONS	TRUCT	ION	CR-4
NOTES:	2. MEASU MPACT: 3. D IS PO	CRASH RECOR RE C ₁ TO C ₆ F S, REAR TO FR SSITIVE IF MEAS E CENTER OF Image with res	ROM DRIVER 1 ONT IN SIDE IN SURED TO A PO THE WHEELBA	TO PASSENGE MPACTS. OINT FORWAR ISE AS THE CO	TR SIDE IN 1 RD OF OR 1 G.	FRONT OR	REAR		LC	ER VEH	
Specific	Impact No.	L	ocation of I	Direct Dan	nage		•	Locati	on of Fie	eld L	· .
			·· · ··								·
							,				
PLAI	NE: (1) Bumper (2) Above Bum (3) Sill (4) Above Sill (5) Other (9) Unknown NOTE: Each			C6 C5 C4 C2 C1				DL UDL umns 1 - 1	2 for each	complete	d line.
Specific Impact	Plane of Impact	Direct Length	Damage Max	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
Number	C-Measur.	(DDL)	Crush								
			-								
	_										
1	9	999		999	944	999	799	499	179	999	+999
13	14	15 16 17	18 19 20	21 22 23	422	21 26 29	30 31 32	33 34 35	30 3/ 38	33 60 41	42 43 44 45
							!				
				İ							
2											

Duplicate columns 1-8 from the previous card. Module W T 9 10	Format <u>0</u>	_	WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	0 13 0 0 0	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 4 4 20	LR y
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 2 3 3 24	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:	.		

Duplicate columns 1-8 Module F T Forma from the previous card. 9 10	at <u>0 1</u>	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	8 21
MAIN TANK LOCATION	322	AUXILIARY TANK LOCATION	<u>888</u>
MAIN FILLER CAP LOCATION	1 33	AUXILIARY FILLER CAP LOCATION	8 8 8 25 27
MAIN TANK MATERIAL	1 20	AUXILIARY TANK MATERIAL	<u>&</u> 22

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

FUEL LEAKAGE Duplicate columns 1-8 Module F _ Format 0 _ 1 FL-1 from the previous card. 10 DID FUEL LEAKAGE RESULT FROM A CRASH EVENT (0) NO KNOWN LEAKAGE SKIP PAGE. (1) YES <u>COMPLETE</u> PAGE. IV II Ш **LEAKING** COMPONENT TYPE OF LEAK SEVERITY LOCATION **EVENT** COMPONENT NUMBER SOURCE DAMAGE OF LEAK OF DAMAGE NUMBER #1 15 21 #2 22 23 29 #3 30 31 37 #4 39 #5 46 47 53 IV SEVERITY OF DAMAGE LEAKING COMPONENT TANK AREA EEC SYSTEM (CONTINUED) (1) MINOR (2) MODERATE (11) MAIN FUEL TANK (INCLUDING (33) VAPOR RECOVERY HOSES (3) SEVERE VAPOR RECOVERY DOME) (CANISTER TO CARBURETOR) (4) DISCONNECTED/DEFEATED (9) UNKNOWN (12) AUXILIARY FUEL TANK (34) LIQUID-VAPOR SEPARATOR (13) MAIN TANK FILLER TUBE (UNLESS PART OF TANK) (14) MAIN TANK CAP (GAS CAP) (35) CANISTER (15) AUXILIARY TANK FILLER TUBE V LOCATION OF LEAK (39) EEC SYSTEM, DETAILS (16) AUXILIARY TANK CAP (GAS CAP) UNKNOWN (19) TANK AREA, DETAILS UNKNOWN FIRST DIGIT (LONGITUDINAL LOCATION) (49) ENGINE COMPARTMENT, DELIVERY SYSTEM COMPONENT UNKNOWN (1) F, FORWARD OF COWL (2) P. BETWEEN COWL & (99) COMPONENT UNKNOWN (21) FUEL FEED LINE (MAIN TANK REAR BULKHEAD TO FUEL PUMP) (3) B, BEHIND REAR BULKHEAD (22) FUEL FEED LINE (AUXILIARY (4) Y. F. & P II COMPONENT SOURCE TANK TO FUEL PUMP) (5) Z, P, & B (23) FUEL RETURN LINE (FUEL (6) D. DISTRIBUTED PUMP TO TANK) (1) OEM (F. P&B) (2) AFTER MARKET (24) INLINE FUEL FILTER (9) UNKNOWN (25) FUEL LINE (PUMP TO (9) UNKNOWN CARBURETOR OR INJECTOR PUMP) (26) CARBURETOR TO INJECTOR PUMP **SECOND DIGIT** (27) FUEL PUMP (LATERAL LOCATION) III TYPE OF DAMAGE (29) DELIVERY SYSTEM, DETAILS UNKNOWN (1) L. LEFT (1) DENTED/CRUSHED (2) C. CENTER (2) PUNCTURED (3) R, RIGHT **EVAPORATIVE EMISSION CONTROL SYSTEM** (3) RUPTURED (4) Y, LEFT CENTER (L & C) (4) SEVERED/GROSS TEARS (5) Z, RIGHT CENTER (R & C) (31) ATMOSPHERIC VENT PIPE (5) DISCONNECTED/DEFEATED (6) D, DISTRIBUTED (NON-EEC EQUIPPED) (9) UNKNOWN (F, P & B) (32) EEC PIPE (VAPOR CANISTER (9) UNKNOWN

TO CARBURETOR)

Duplicate columns 1-8 Module F R Format 0 11 11 11 11 11 11 11 11 11 11 11 11 1	1 12	FIRE	FR-1				
WAS THERE FIRE IN OR ON CASE VEHICLE? (0) NO <u>SKIP PAGE</u> . (1) YES <u>COMPLETE PAGE</u> .							
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16				
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17				

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card. Module <u>E</u> <u>D</u> Form 9 10	11 12	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE		STEERING COL FLEXIBLE COUPLING	
FOR THE FOLLOWING, USE CODES:		FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)RELEAS	13	(7) OTHER:	
-DAMAGE	14	COUPLINGDAMAGED	9
JAMMED	15	(USE CODES FROM HOOD PERFORMANCE) -SEPARATE (COMPLETE	27 ED 9
HOOD HINGESLEFT, DAMAGE	16		
-LEFT, SEPARAT (COMPLE			
-RIGHT, DAMAGEI	$\frac{O}{18}$	ENG COMPART TELESCOPING UNIT	
-RIGHT, SEPARAT (COMPLE		TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2	8 4
HOOD REMAINED ON VEHICLE	20	(88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	29 3
REAR EDGE OF HOODELEVATE	\underline{O}	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIE		F (OR H):	
-PENETRATED WINDSHIEL	4	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION		G:	
(1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE	1 24	DIFFERENCE (mm) F (OR H) - G	
(9) UNKNOWN		(IF LESS THAN 15mm, ENTER *000°.)	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	<u>O</u> 25	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

		EXTERIOR DAMAGE	E	D-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	۳ <u>اه</u>	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?		
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN		
-A-PILLAR, UPPER	$\frac{\mathcal{O}}{35}$	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN		Δ
LOWER	<u>36</u>	-FR	EAR	0 43 0 4
-B-PILLAR, UPPER	$\frac{\mathcal{O}}{37}$	DOORS JAMMED CLOSED-		-
LOWER	$\frac{\mathcal{O}}{38}$	USE CODES: (0) NO (1) YES		
-C-PILLAR, UPPER	<u>D</u>	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		-
LOWER	<u>O</u>	-FR	RONT	<u>0</u>
-D-P!LLAR, UPPER	<u>&</u>	• ••• ••	-An	Q 46
LOWER	8/42	·		

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	÷
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR	<u>O</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN SPARE TIRE	<u>O</u> 50
(6) DOUBLE DOOR (9) UNKNOWN Hatchback One-way		 (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (6) NOT COLLECTED (9) UNKNOWN 	8 51
Two-way Clamshell Single door Double door		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING OTHER TYPES	<u>0</u>
HOW DID DOOR OPEN DURING COLLISION? (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	8 48	(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL PLU) (7) OTHER (E.G. CLEVIS-AND-PIN) (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	<u>o</u>


		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>Ø</u>	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN	
LOWER	<u>O</u>	-FRONT -REAR	00
-B-PILLAR, UPPER	4/57		65 66
LOWER	4 58	DOORS JAMMED CLOSED- USE CODES: (0) NO	
-C-PILLAR, UPPER	<u>4</u>	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	,
LOWER	4 €	-FRONT -REAR	1 67 1
-D-PILLAR, UPPER	<u>§</u>		66
LOWER	<u> </u>	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	8 60

	*	EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE		WINDSHIELD MARK ON CASE VEHICLE	E :
WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	70	SAFETY FLO-LO AS-1 PG 28 7	i <i>TE</i>
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	LAMINATED 1 2 4 SEDAN	
CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	WINDSHIELD CODE (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN	9 -74 79
	Q _R	ROOF DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN	8/2
(6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIFT D. III	NTEREST OF	(1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF)	76
•			
		(23 - 21) (E 2 + 2	不 20 4
	(out)	Kzrz	76

Duplicate columns 1-8 Module S C Format 0 11		STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION WWAT O'CLOCK POSITION WAS THE	:
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN	<u>O</u>	NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCUPAED? EXAMPLES OTCLOCK = 1, 2, OTCLOCK = 1, 2	
(9) UNKNOWN NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	2	PHOPMAL STRAIGHT	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY	14 <u>O</u> 15	STEERING WHEEL ENERGY ABSORBING DEVICE	
(2) SEVERELY BENT (3) BROKEN (9) UNKNOWN		(1) EXAMPLES: BARRACUDA, 70-74 CHALLENGER, 70-74 CAPRI, 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: CAMPL. 79 - MORIZON, 79 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	2-16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>Q</u>	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 2

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN	İ	STEERING WHEEL (CONTINUED)	:
ENERGY ABSORBING DEVICE		-	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	1
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 23 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG (3) OTHER	533
ORIGINAL LENGTH (mm)		(9) UNKNOWN	1
C:		·	
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (1F CODE 36, 48, OR 49 ABOVE) OR			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27 25 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
RT:			
(888) NOT COLLECTED			
(991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	31		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	2 32		

						İNTRU	SION IT-1
Location of Intrusion	of 1	Intruded	Component	Compar Value	(All Measurements Are in ison _ Intruded e — Value	Centimeters) = Intrusion	Dominant Crush Direction
13		POOR			64- 56	= 14	Y
13		B-pil	lan		6.8 - 50	= 18	Y
13		RSR			44 -40	= 4	Y
13		sill			63 - 51	= 12	Y
						=	
23		Poor	l		63 - 51	= 12	Y
		R 51			44 - 4/	= 3	4
23 23		5:11			63 - 51	= 12	4
					-	=	
					-	=	
					-	=	
					_	=	
					_	=	
					_	=	
					_	=	
					_	=	
			0	CCUPANT C	CONTACT WORKSHE	ET	
Contact	Co	Interior Imponent Intacted	Occupant No. if Known	Body Region if Known	Supporting F	Physical Evidence	Confidence Level of Contact Point
Α							
В							
С							
D							
E						·	
F							
G							
н							
l							
J							



INTRUSION IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES. THE WIDTH OF THE SEAT.


(1)	LEFT	(3)	RIGHT	•••••	***************************************	INDIVIDU	JAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH:	FULL WIDTH 3 PASSENGER
(1)	LEFT	(2)	LEFT CENTER		RIGHT (3) RIGHTCENTER	BENCH:	FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER		RIGHT &	BENCH:	PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2)	CENTER		RIGHT &SPACE	BENCH:	PARTIAL WIDTH, CENTERED
(4)	ENTIRE \	/EH	ICLE WIDTH	•••••		CARGO	AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.



VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
- (Y) Y-AXIS (LATERAL)
- (Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

INTRUSION IT-4

CODES FOR COLUMN C. INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

INTRUDED INTO A SINGLE OCCUPANT SPACE.
(50)WINDSHIELD HEADER (60)ROOF

USE ONLY IF ALL THESE COMPONENTS

- (50)WINDSHIELD HEADER
 A-PILLAR
 - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR
 - WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 WINDOW FRAME
 DOOR PANEL
 FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL
- (62)ROOF ROOF RAIL C-PILLAR WINDOW FRAME FLOOR PAN SECOND SEAT DOOR PANEL

ROOF

- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

	columns 1-6 previous card		<u> </u> <u>T</u>	Format 0				INTE	RUSION	IT-5
(0) N (1) Y	WAS THERE OCCUPANT COMPARTMENT INTRUSION? (0) NO DO NOT ANSWER NEXT QUESTION. SKIP PAGE. (1) YES ANSWER NEXT QUESTION. (9) UNKNOWN SKIP PAGE. (1) YES SKIP PAGE.									
from the p	Duplicate columns 1-8 Module I T Format 0 2 from the previous card. 9 10 11 12 NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.									
l	NTRUSIO	CODES F	ORB, F	NS IN THIS C F, G, H, I, J N PAGE IT-4	ON PAGE		ON ROW; FR	ONT TO BACK		S
Α	В	С	D	E	F	G	Н	1	J	к
INTRUSION NUMBER	OCC. SPACE NO.	INTRUDING COMPONENT OR OBJECT	ASSOC. EVENT NO.		MAXIMUM INTRUSION Y AXIS (cm)		OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0.1	13	11	1	00	18	00	00	00	00	00
02	13	09		00	14	00	00	00	00	00
03	13	30	1	00	12	00	00	00	00	00
0 4	13	14	1	00	04	00	00	00	00	00
0.5	23	<u>30</u>	1	00	12	00	00	00	00	00
06	23	09	1	00	12	00	00	00	00	00
O 7 NOTE: US	1 3	1 4 PAGE IF MORE TI		O O	<u>0</u> 3	00	00	<u>0</u> <u>0</u>	00	00
	columns 1-8 previous card			Format <u>0</u>	_3 12					
SIDE RE	NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM IF DAMAGE TO DOOR COMPONENT RESULTED IN INCREASED DOOR INTRUSION, CODE COMPONENT INTRUSION DAMAGED DAMAGED NUMBER COMPONENT 1 COMPONENT 2 CODES FOR COMPONENTS									
0 2 6 19	CAUSE - 15 - 18 - 21	CODES FOR CAUSE: (1) DIRECT IMPACT (2) INDUCED DAMAGE (9) UNKNOW!	7	A O 2 22 23 B O 26 C 30 31 D 34 38	_	<u>o</u> <u>o</u> -	2	5 0 9	(0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STR (5) HINGES (7) OTHER: (8) NOT APPLI (9) UNKNOWN	_

Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>T</u> Format <u>0</u> <u>2</u> 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

							·			
A	В	C INTRUDING		E MAXIMUM	F MAXIMUM	G MAXIMUM	н	1	J	K
INTRUSION NUMBER	OCC. SPACE NO.	OR OBJECT	NO.		INTRUSION Y AXIS (cm)		OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
<u>0 B</u>			_							
09										
10			_							
11			_							
12.			_							
13			_							
1 4			_							
15										
16			_							
17			_							
18			· —			· — —				
19										
20										
21			.—							
22			_							
23			_							
24			_							
25			_							
										

Duplicate columns 1-8 from the previous card.	WOOD	9 10	Format <u>0</u> <u>1</u>		TERIOR DAMAGE	D-1
co	(1) NO) YES 3) NO, and	OCCUPANT CONTACT	(4) YES, and C (8) NOT APPL (9) UNKNOWN		
	LEFT	RIGHT		i	_	
SIDES		, ,	FRONT	_	INSTRUMENT PANEL	
FRONT DOOR	<u>O</u>	1/14	FOOT CONTROLS	2	UPPER PANEL	55
FRONT HARDWARE	<u>O</u>	16	IGNITION KEYS	0/46	MID PANEL	<u>C</u>
FRONT ARMREST	<u>O</u>	18	REAR VIEW MIRROR	0	LOWER PANEL	<u>0</u>
FRONT GLASS	<u>O</u>	1 20	SUNVISOR/FITTINGS	<u>Q</u>	ASHTRAY	<u>C</u>
REAR DOOR AREA	$\frac{\mathcal{O}}{21}$		(5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES		CONTROL KNOBS	55
REAR HARDWARE	$\frac{O}{z}$	1 24	WINDSHIELD TOP MOLDINGS		GLOVE COMPARTMENT AREA	
REAR ARMREST	<u>0</u>	26				
REAR GLASS	$\frac{\mathcal{O}}{z_7}$	1 28	LEFT A-PILLAR (UPPER OR LOWER)		INSTRUMENTS	61
ROOF SIDE RAIL	<u>O</u>	$\frac{\int}{30}$	RIGHT A-PILLAR (UPPER OR LOWER)	0	PARKING BRAKE RELEASE	3
B-PILLAR	$\frac{O}{31}$		CENTER CONSOLE	51 4	PARKING BRAKE PEDAL	8
C-PILLAR	0	1		52	A/C OR UPPER VENT OUTLETS	1 4
D-PILLAR	<u>8</u>	8	TRANSMISSION SELECTOR LEVER	53	HEATER OR A/C DUCTS	65
HEADLINING	<u>O</u>	26 20 38	RIM, HORN, SPOKE		RADIO	<u>0</u>
ROOF STRUCTURE	37 0	35			OTHER: *	96 S
T-ROOF/SUN ROOF	0 37 0 39 8 41	0 8 8 8 8 4				
OTHER: *	41 <u>8</u> 43	42 K			Rear	
V	43	44			WINDOW	2
					WINDOW HEADER	<u>C</u>
					Consoles	
					VERTICAL	3 R 8 71
			•		ROOF	8

MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 module S T from the previous card.		- 2	SEATS	ţ	ST-1
FRONT SEAT	DRIVER	PASSENT	FRONT SEAT-BACK	:	
TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	0 5	<u>0</u> <u>5</u>	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	Driver 3	PASS
(97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	1 22	1 33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>D</u>	<u>O</u> 20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE	1 34	135
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	1/2	(9) UNKNOWN RECLINER MECHANISM HELD (0) NO		1
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 23	8 24	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	3 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER:	/ 38	
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED			(8) NOT APPLICABLE (9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>D</u>	0
FRONT SEAT ROTATION		0	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2/42	<u>Z</u>
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	<u>O</u> 29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>ð</u>	<u>7</u>

			S	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSENTA	SECOND SEAT (CONT.)	,	
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT)	1 46	1	CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN		<u>8</u>
(9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	(8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED SECOND SEAT-BACK LOCKS	LEFT	Right
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED (AMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>		FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 52	<u>O</u> 53	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED) 2 8 4 1 8
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN		55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	8 67	<u>/</u>
SECOND SEAT	LEFT	RIGHT	EQUIPPED	<u></u>	Ō
TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	6 5	6	BACKREST DAMAGED CUSHION DAMAGED	عاهم المراهاة	018612812
(4) JUMP SEAT (5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE	56 58	<u>3</u>	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	. –	<u>D</u>

Duplicate columns 1-8 from the previous card. Module A B Format 0 11	12	AIRBAG	AD-
DRIVER SIDE		PASSENGER SIDE	i
LOCATION OF AIRBAG	İ	LOCATION OF AIRBAG	!
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
EQUIPPED		EQUIPPED	
(0) NO	1	(0) NO	
(1) YES (4) PRIOR DEPLOYMENT	13	(1) YES (4) PRIOR DEPLOYMENT	1 -
NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED		NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	
DEPLOYED		DEPLOYED	
(0) NO	,	(0) NO ·	
(1) YES (2) PARTIAL/IMPROPER DEPLOYMENT	1/4	(1) YES (2) PARTIAL/IMPROPER DEPLOYMENT	4
(8) NOT APPLICABLE (NO AIRBAG)		(8) NOT APPLICABLE	1
(9) UNKNOWN		(NO AIRBAG) (9) UNKNOWN	
CONDITION OF AIRBAG		CONDITION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
(0) NO DAMAGE			
(2) SPLIT OR TORN	מ	(0) NO DAMAGE (2) SPLIT OR TORN	
(3) CUT DURING CRASH (4) BURNED/MELTED	<u>0</u>	(3) CUT DURING CRASH (4) BURNED/MELTED	1
(5) CUT POST CRASH (6) OTHER		(5) CUT POST CRASH (6) OTHER	
(7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE MOT FOURTPED PROTECTION		(7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE MOT EQUIPPEDINGT DEPLOYED)	
(9) UNKNOWN IF EQUIPPED OR CONDITION		(9) UNKNOWN IF EQUIPPED OR CONDITION	
DRIVER SIDE		PASSENGER SIDE	
AIRBAG		AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
TETHER		TETHER	
(0) NO (1) YES	0	(0) NO	
(6) OTHER	19	(1) YES (6) OTHER	21
(7) UNKNOWN IF TETHERED (8) NOT APPLICABLE		(7) UNKNOWN IF TETHERED (8) NOT APPLICABLE	
(NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED		(NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	
MARKED BY CONTACT		MARKED BY CONTACT	
(0) NO	1	(0) NO	-
(1) YES (8) NOT APPLICABLE	20	(1) YES (8) NOT APPLICABLE	2
(NO AIRBAG) (9) UNKNOWN		(NO AIRBAG) (9) UNKNOWN	_

AIRBAG AB-2

AIRBAG NUMBER ON DRIVER SIDE:




FLAP U 10cm x10cm


NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:

AIRBAG 45 cm wide 59 cm TAIL

RT 11 LIPSTICK




AIRBAG NUMBER ON PASSENGER SIDE:



FUAP 32 WIDE 17 TALL

NOTE AND DESCRIBE ANY AIRBAG CONTACT OR **DAMAGE ON DIAGRAM BELOW:**

AIR DAG 38 WIDE 52 TALL



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.


IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8 from the previous card. Module O C Format 0 11		OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION		Physical Description	i
OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT	0/13/14	AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN	4 3
(1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	15	AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	2 2
OCCUPANT POSITION		MASS (kg) (105 lb)	04
		•	24 25
ROW LOCATION	,	HEIGHT (cm)	سر ر
(1) FRONT (2) SECOND (3) THIRD	16	(999) UNKNOWN (5 ft)	1 5 27 28
(4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN		SEX (1) MALE (2) FEMALE (9) UNKNOWN	2 30
LATERAL LOCATION	Ī	MEDICAL CONDITIONS	
(1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE	<u>O</u> <u>(</u> 31
POSTURE		(06) FATAL, DOA (07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO	
(10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO	18 19	31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN	0 3
PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT		NON-IMPACT MED. CONDITIONS	35 3
(65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER		(0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G.	<u>O</u> 35
OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED		PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING)	
SEAT-BACK (87) LYING/SITTING, EXTERNAL TO		(6) POST-CRASH NON-FATAL INJURY (7) OTHER:	
PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		(8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.)		CHILD SEAT TYPE	;
POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN		(00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 41 42
RESTRAINT SYSTEM			
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN	3 37	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN	0 4
ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED)		(9) UNKNOWN IF EJECTED AREA OF EJECTION	
(1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN	3 38	(01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA	98
(0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO	1	(96) EJECTED AREA UNKNOWN (97) OTHER AREA:(98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	
WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	39	IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:	
PASSIVE RESTRAINT SYSTEM USAGE			
(0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2 40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	<u></u>

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	<u>ð</u>

OCCUPANT INFORMATION OC-4



Duplicate columns 1-8 from the previous card. Module | C Format 0 1 12

INJURY CLASSIFICATION IC-1

Occ	CUPANT	INJUR	Y CLAS	SIFICATION											
			PRIMARY OIC					ASSOCIATED OIC					COMMENTS		
OCCUPANT NUMBER	PLACE CONTACTS IN ORDER OF PROBABILITY (HORIZONTALLY). START WITH MOST PROBABLE IN 1ST CONTACT AREA COLUMN. AREA(S) OF POSSIBLE CONTACT 1ST 2ND		BODY REGION 1	ASPECT Q	LESION 3	8YSTEMORGAN 4	SEVERITY 10	BODY REGION 1	ASPECT O	LESION 3	SYSTEMORGAN 4	SEVERITY 10			
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
21	01	<u>52</u>	87		E	<u>5</u>	<u>L</u>	I	1	_	_		_	_	FORE HEAd
1	02	<u>87</u>			E	<u>L</u>	<u>८</u>	Į	1	-		_	_	_	cheek
	03	<u>87</u>			E	I	<u>८</u>	I	1	_	_	_		_	Lip
	04	98	87		M	<u>P</u>	$\underline{\tau}$	M	1		_		_		
	05	<u>87</u>	65		V	<u>L</u>	<u>८</u>	I	1	_		_		_	
	06	27			I	ß	<u>c</u>	I	1	_	_	_	_		
	07	86			K	R	<u>c</u>	I	1				_	_	
	08	<u>27</u>	98		1		I			_	_				
Number" for each line					_	_	_	_	_	_		_		_	·
nber" for					_	_	_	_	_	_	_	_			. -
					_	_	_	_	_	_	_	_	_	_	
inoo0.					_	_	_	_!				_	_	_	
Duplicate "Occupant															
_		_				_	_	_				_			
				•	-			_		_	_	_	_	_	
					-	_	-	_	-	_		_		_	
					-	_	_	_	-	_	_	_		-	
					-	_	_	_	-	_	_	_	_		
					-	_	_	_	-	_		_			Y

INJURY CLASSIFICATION IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
	WINDSHIELD	(19)	
•		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	
(54)	UPPER INSTRUMENT PANEL (X)	(424)	·
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	— · · · · ·
(81)	ASH TRAY (INSTRUMENT PANEL)	Ψ.,	***************************************
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILLAR
(48)	KNEE RESTRAINT	• •	
(86)	VERTICAL CONSOLE	FLOOR	
		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	CONSOLE ON FLOOR OR BETWEEN SEATS
		(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	_	
		Roof	
	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)		ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)		SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	·/	ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	• •	COAT HOOK
(67)	IGNITION KEY MIRROR		DOME LIGHT
(06) (04) •			BACKLIGHT HEADER
(01)			ROOF MOUNTED CONTROLS/CONSOLE
(08)	AIR CONDITIONING OR VENTILATION OUTLET(S) RADIO (BUILT IN)	(69)	ROLL BAR
(58)	ADD-ON TAPE DECK, RADIO, A/C	Everno	on Common on Ocean Marrier
(68)	ROOF MOUNTED CONTROLS/CONSOLES		R SURFACE OF CASE VEHICLE
(50)	HOOF MOORED DON'T HOUSE CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
REAR		(25)	(SPECIFIC AREA UNKNOWN) HOOD OF CASE VEHICLE
	SURFACE OF REAR INTERIOR	(35) (60)	EXTERIOR OF CASE VEHICLE (E.G.
. ,	REAR WINDOW	(60)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
INTERIOR	I-GENERAL	(0.1)	THE OF WALL VEHICLE
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
	REAR SEAT CUSHION & BACK	(78)	GROUND
	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(22)	DECTRAINT OVOTERS I SARRIVADE		OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE RESTRAINT SYSTEM WEBBING		
	AIR CUSHION SKIN (AIRBAG)		ATING OBJECTS
	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		OTHER VEHICLE
, ,	AIRBAG GAS	(72)	OBJECTS (DESCRIBE)
, -,	KNEE RESTRAINT	Moore	AA1561 16
	HEAD RESTRAINT	MISCELL	
	CHILD SEAT RESTRAINTS		NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT		OTHER (E.G. FIRE. DESCRIBE)
	INTERIOR LOOSE ORJECT	*. **	SPARE TIRE
	OTHER OCCUPANT(S)	(96) (97)	INDUCED EJECTED, UNKNOWN CONTACT
	INTERNAL FLYING GLASS (FROM ANY SOURCE)		MPACT FORCE, "WHIPLASH".
	UNKNOWN INTERIOR SURFACE	(30)	HYPEREXTENSION/COMPRESSION
	-	(99)	UNKNOWN AREA OF CONTACT
		(53)	

INJURY CLASSIFICATION IC-3 THE FIGURE BELOW IS AN EXPLANATION OF THE <u>BODY REGION</u> CODES LISTED ON PAGE IC - 4. ___(H) HEAD _ (F) FACE - (N) NECK -(S) SHOULDER _ (BS) THORACIC SPINE (C) CHEST (A) UPPER ARM =(E) ELBOW (R) FOREARM (W) WRIST (W) HAND. (BI) LUMBAR SPINE (M) ABDOMEN (P) PELVIS THIGH -(K) KNEE-(L) LOWER LEG (Q) ANKLE (Q) FOOT-

INJURY CLASSIFICATION IC-4

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SYSTEM/ORGAN 4 LESION 03 ASPECT 04 BODY REGION 1

5 SEVERITY (OR 'AIS', ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN













































st Available









3-30 W































